

enjoy
your
moment



GUSTO 6 CLASSIC M

Slim in style,
wide in choice

Necta

Gusto 6 Classic M.

Slim in style, wide in choice.

The perfect vending machine for small location



Distinctive product attributes

For any locations

- It is the ideal solution for small or medium-sized locations.
- Ambient version for the distribution of PPE or items that do not require refrigeration.

For any environmental

- Compatible with Executive and MDB protocols, with the option of data collection according to the EVA DTS standard and via IRDA kit.
- With the addition of the ETL system (Electronic Tray Labels) there are even more benefits in functionality and communication

Gusto wide values

Sustainability excellence


- D-class Energy label according the IEC EN 63252 with a perfect insulation and the usage of the efficient R290 natural gas.
- Designed also with bio-circular plastics parts, up to 60% recyclable components and 100% recyclable packaging easy to be disposed.

Full solution with guaranteed performances

- High-performance cooling unit ensuring the best quality under demanding environmental conditions as 35°C / 65% of humidity.
- Banked with a Necta Barista coffee machine allows a complete experience with the full digital services proposition.



Technical data & dimension



- 110–120 V
- 60 Hz
- 220 W
- Configuration: base stand
- Refrigerant Gas = R290
- Noise level < 70dB
- Temperatures from 0° to 12°
- Category: 4




Specifications

- (W x D x H) 717 x 874 x 1700 mm
- Number of trays: max 6
- Product selection till 36
- Product capacity till 264
- Layout:
50% CB + 50% snack
Ambient version

Product carbon footprint scorecard

Carbon footprint

- Per annum: 276 kgCO₂eq
- Cradle to cradle: 4,976 kgCO₂eq



Energy efficiency D rated



NECTA

GUSTO6C M FD



1125 kWh/annum

397 L

8°C

For more information about Sustainability at Evoca





Necta

EVOCA S.p.A.
Via Roma, 24 | 24030 Valbrembo (BG), Italia | Ph. +39 035 606 111
necta.evocagroup.com



Evoca Spa reserves the right to change product specifications according to a constantly evolving design policy